

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L2	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L3	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L4	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L5	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L6	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L7	1	L1 and L2 and L3 and (L5 L6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L8	2	L2 same L3 same L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L9	1	L3 same L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L10	16760	L2 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L11	1995	L10 and (L5 L6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L12	118	L11 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L13	81	L12 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L14	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L15	3	L13 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L16	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L17	1	L16 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L18	1	L3 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L19	11	L3 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L20	7	L19 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L21	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L22	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L23	0	L21 and L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L24	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L25	0	L21 and L24 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L26	670	L14 with L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L27	9	L26 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L28	1	L27 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L29	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L30	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L31	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L32	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L33	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L34	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L35	1	L29 and L30 and L31 and (L33 L34)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L36	2	L30 same L31 same L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L37	1	L31 same L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L38	16760	L30 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L39	1995	L38 and (L33 L34)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L40	118	L39 and L29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L41	81	L40 and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L42	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L43	3	L41 and L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L44	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L45	1	L44 and L29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L46	1	L31 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L47	11	L31 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L48	7	L47 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L49	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L50	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L51	0	L49 and L50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L52	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L53	0	L49 and L52 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L54	670	L42 with L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L55	9	L54 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L56	1	L55 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L57	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L58	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L59	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L60	2	L58 and L59 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L61	2662	709/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L62	1	L31 and (L59 L61)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L63	1	L62 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L64	20	L58 and (L59 L61)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L65	10	L64 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L66	67	L32 same L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L67	0	L66 and L58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L68	3	L66 and (L59 L61) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L69	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L70	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L71	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L72	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L73	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L74	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L75	1	L69 and L70 and L71 and (L73 L74)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L76	2	L70 same L71 same L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L77	1	L71 same L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L78	16760	L70 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L79	1995	L78 and (L73 L74)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L80	118	L79 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L81	81	L80 and L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L82	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L83	3	L81 and L82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L84	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L85	1	L84 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L86	1	L71 and L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L87	11	L71 and L73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L88	7	L87 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L89	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L90	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L91	0	L89 and L90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L92	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L93	0	L89 and L92 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L94	670	L82 with L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L95	9	L94 and L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L96	1	L95 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L97	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L98	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L99	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L100	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L101	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L102	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L103	1	L97 and L98 and L99 and (L101 L102)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L104	2	L98 same L99 same L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L105	1	L99 same L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L106	16760	L98 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L107	1995	L106 and (L101 L102)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L108	118	L107 and L97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L109	81	L108 and L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L110	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L111	3	L109 and L110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L112	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L113	1	L112 and L97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L114	1	L99 and L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L115	11	L99 and L101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L116	7	L115 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L117	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L118	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L119	0	L117 and L118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L120	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L121	0	L117 and L120 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L122	670	L110 with L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L123	9	L122 and L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L124	1	L123 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L125	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L126	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L127	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L128	2	L126 and L127 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L129	2662	709/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L130	1	L99 and (L127 L129)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L131	1	L130 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L132	20	L126 and (L127 L129)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L133	10	L132 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L134	67	L100 same L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L135	0	L134 and L126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L136	3	L134 and (L127 L129) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L137	7219	(707/796,803,804,805,807,809,810,811 715/234,239). ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L138	20	L70 and L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L139	1	L137 and L138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L140	683	L73 same descript\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L141	31	L137 and L140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L142	14	L141 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L143	2119205	pattern\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L144	3	L142 and L143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L145	1	L84 and L90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L146	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L147	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L148	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L149	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L150	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L151	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L152	1	L146 and L147 and L148 and (L150 L151)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L153	2	L147 same L148 same L149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L154	1	L148 same L151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L155	16760	L147 and @ad< "20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L156	1995	L155 and (L150 L151)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L157	118	L156 and L146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L158	81	L157 and L149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L159	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L160	3	L158 and L159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L161	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L162	1	L161 and L146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L163	1	L148 and L151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L164	11	L148 and L150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L165	7	L164 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L166	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L167	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L168	0	L166 and L167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L169	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L170	0	L166 and L169 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L171	670	L159 with L149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L172	9	L171 and L151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L173	1	L172 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L174	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L175	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L176	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L177	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L178	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L179	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L180	1	L174 and L175 and L176 and (L178 L179)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L181	2	L175 same L176 same L177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L182	1	L176 same L179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L183	16760	L175 and @ad< "20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L184	1995	L183 and (L178 L179)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L185	118	L184 and L174	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L186	81	L185 and L177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L187	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L188	3	L186 and L187	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L189	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L190	1	L189 and L174	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L191	1	L176 and L179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L192	11	L176 and L178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L193	7	L192 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L194	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L195	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L196	0	L194 and L195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L197	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L198	0	L194 and L197 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L199	670	L187 with L177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L200	9	L199 and L179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L201	1	L200 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L202	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L203	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L204	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L205	2	L203 and L204 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L206	2662	709/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L207	1	L176 and (L204 L206)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L208	1	L207 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L209	20	L203 and (L204 L206)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L210	10	L209 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L211	67	L177 same L179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L212	0	L211 and L203	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L213	3	L211 and (L204 L206) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L214	5947	(707/101,102 715/234,239).cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L215	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L216	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L217	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L218	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L219	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L220	1	L214 and L215 and L216 and (L218 L219)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L221	2	L215 same L216 same L217	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L222	1	L216 same L219	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L223	16760	L215 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L224	1995	L223 and (L218 L219)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L225	118	L224 and L214	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L226	81	L225 and L217	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L227	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L228	3	L226 and L227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L229	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L230	1	L229 and L214	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L231	1	L216 and L219	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L232	11	L216 and L218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L233	7	L232 and @ad< "20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L234	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L235	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L236	0	L234 and L235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L237	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L238	0	L234 and L237 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L239	670	L227 with L217	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L240	9	L239 and L219	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L241	1	L240 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L242	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L243	37308	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L244	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L245	87824	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L246	11974	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L247	1515	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L248	1	L242 and L243 and L244 and (L246 L247)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L249	2	L243 same L244 same L245	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L250	1	L244 same L247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L251	16760	L243 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L252	1995	L251 and (L246 L247)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L253	118	L252 and L242	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L254	81	L253 and L245	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L255	10980	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L256	3	L254 and L255	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L257	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L258	1	L257 and L242	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L259	1	L244 and L247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L260	11	L244 and L246	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L261	7	L260 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L262	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L263	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L264	0	L262 and L263	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L265	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L266	0	L262 and L265 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L267	670	L255 with L245	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L268	9	L267 and L247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L269	1	L268 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L270	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L271	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L272	5947	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L273	2	L271 and L272 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L274	2662	709/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L275	1	L244 and (L272 L274)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L276	1	L275 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L277	20	L271 and (L272 L274)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L278	10	L277 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L279	67	L245 same L247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L280	0	L279 and L271	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L281	3	L279 and (L272 L274) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L282	7219	(707/796,803,804,805,807,809,810,811 715/234,239). ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L283	20	L215 and L216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L284	1	L282 and L283	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L285	683	L218 same descript\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L286	31	L282 and L285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L287	14	L286 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L288	2119205	pattern\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L289	3	L287 and L288	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L290	1	L229 and L235	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L291	7564	(707/796,803,804,805,807,809,810,811 715/234,235,239).ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L292	6	L148 near5 (select\$3 menu option\$1 interface library click\$3 apply\$3 (graphical adj1 user adj1 interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L293	1	L292 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L294	1	L176 with (schema XML library bin\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L295	15446	(generating creating defining) near4 template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L296	313	(parsing parser) near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L297	1	L291 and L295 and L296	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L298	6	L151 and L167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L299	0	L298 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L300	1	"7200805".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L301	0	L296 and L300	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L302	0	L288 and L300	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L303	5	(user-defined defining selecting menu option\$1 library) near4 L148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L304	3	L303 and @ad< "20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L305	563	template\$1 with (XML schema) with (descript\$4 pattern \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L306	80	L305 and L291	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

L307	80	L306 and (library bin\$1 XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L308	23	L306 and (library bin\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L309	9	L308 and @ad< "20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37
L310	0	L296 and L309	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/12/02 16:37

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L311	119	(parsing parser) near3 agent\$1	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L312	11	(pattern adj1 descriptor\$1).clm.	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L313	9	L312 and @ad< "20031114"	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L314	15374	template\$1.clm.	USPAT; UPAD	OR	OFF	2010/12/02 16:37

L315	1	L313 and L314	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L316	2670	((selecting generating receiving accessing) near5 template \$1).clm.	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L317	4150	(707/796,803,804,805,807,809,810,811 715/234,235,239).cls.	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L318	125	L317 and L316 and (L314 L312 L311)	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L319	73	L318 and @ad<"20031114"	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L320	246099	(interface screen GUI).clm.	USPAT; UPAD	OR	OFF	2010/12/02 16:37
L321	38	L319 and L320	USPAT; UPAD	OR	OFF	2010/12/02 16:37

12/ 2/ 2010 4:47:38 PM

C:\Documents and Settings\ grobinson\ My Documents\ EAST\ Workspaces\ 10714541.wsp